

09/835,733

585AAA/TELNP226USA

CLEAN VERSION OF ALL PENDING CLAIMS

This listing of the claims replaces all prior versions of claims in the application.

LISTING OF THE CLAIMS:

1-13. (Cancelled)

14. (Currently Amended): A hand-held optical scanning device, comprising:
a body including an upper surface having a display mounted thereon;
a handle that extends from a bottom surface of the body, the handle being
joined to the body to cause the ~~bottom surface of the body~~ handle to rest on a surface of a
user's hand to facilitate stability and weight distribution, the display having a horizontal
configuration; and
a microcomputer that provides a display option in accordance with the
horizontal configuration to orient display information on the display based at least in part
upon whether a user selects a left hand or right hand display option.

15. (Previously Presented): The hand-held optical scanning device of claim
14, the handle being integrally molded with the bottom of the body.

16. (Previously Presented): The hand-held optical scanning device of claim
14, comprising a wireless data transmission system for communicating data.

17. (Previously Presented): The hand-held optical scanning device of claim
16 being operative in a local area wireless network.

18. (Previously Presented): The hand-held optical scanning device of claim
14, the body including a lower housing member and an upper housing member that forms
a cover, a resilient sealing member interposed between the lower housing member and
cover to form a dust and moisture resistance seal therebetween.

09/835,733

585AAA/TELNP226USA

19. (Previously Presented): The hand-held optical scanning device of claim 18, the cover including a digital display.

20. (Previously Presented): The hand-held optical scanning device of claim 14, the display is configurable to adapt to a user's preference, the user's preference including at least one of the horizontal configuration and a vertical configuration.

21. (Currently Amended): A hand-held optical scanning device, comprising:
a body having an optical scanning module arranged to scan objects in a direction outward from a first distal end, the body including an upper surface having a display mounted thereon; and

a handle that extends from a bottom surface of the body at the first distal end to increase a viewing angle of the display, the handle being joined to the body to ~~cause support~~ a proximal end of the bottom surface of the body to by resting the handle on a radial surface of a user's hand to provide support.

22. (Previously Presented): The hand-held optical scanning device of claim 21, the handle including a trigger.

23. (Previously Presented): The hand-held optical scanning device of claim 22, the trigger being a two-finger trigger.

24. (Previously Presented): The hand-held optical scanning device of claim 22, the trigger facilitating at least one of the following functions: read only, read and store, and scroll menu utility.

25. (Previously Presented): The hand-held optical scanning device of claim 21, further comprising a resilient member between a lower body member and cover, the resilient member extending a distance beyond the lower body member and cover a substantial portion of a periphery of the body.

09/835,733

585AAA/TELNP226USA

26. (Previously Presented): The hand-held optical scanning device of claim 25, the resilient member providing a bumping surface that protects the users hand.

27. (Previously Presented): The hand-held optical scanning device of claim 25, the resilient member providing a bumping surface that protects the device.

28. (Previously Presented): The hand-held optical scanning device of claim 21, the handle being integrally molded with the bottom of the body.

29. (Previously Presented): The hand-held optical scanning device of claim 21, comprising a wireless data transmission system for communicating data.

30. (Previously Presented): The hand-held optical scanning device of claim 21, the body including a lower housing member and an upper housing member that forms a cover, a resilient sealing member interposed between the lower housing member and cover to form a dust and moisture resistance seal therebetween.

31. (Previously Presented): The hand-held optical scanning device of claim 30, the cover including a digital display.

32. (Previously Presented): The hand-held optical scanning device of claim 21, further comprising a display that is configurable to adapt to a user's preference.

33. (Previously Presented): The hand-held optical scanning device of claim 32, the display being configurable vertically and horizontally.

34. (Previously Presented): The hand-held optical scanning device of claim 32, the display being configurable to provide portrait and landscape views.

35. (Previously Presented): The hand-held optical scanning device of claim 14 wherein the bottom surface is a contoured bottom surface.

09/835,733

585AAA/TELNP226USA

36. (Previously Presented): The hand-held optical scanning device of claim 14, wherein the display is a touch sensitive data entry display.

37. (Previously Presented): The hand-held optical scanning device of claim 21, wherein the bottom surface is a contoured bottom surface.

38. (Previously Presented): The hand-held optical scanning device of claim 21, wherein the display is a touch sensitive data entry display.